












**ELEKTRO - PRIHVATNICI, MAGNETNE BRAVE, "DROP BOLT" ELEKTRO BRAVE**  
- DODATNA OPREMA ZA VRATA  
- PROFESIONALNA OPREMA - CE, FCC i RoHS SERTIFIKATI

FOTO	OPIS PROIZVODA	JM	CENA - EUR
	<p><b>YAS-130NO/NC</b></p> <p>ELEKTRO-PRIHVATNIK   Standard-type Electric Strike   500kg            - 500kg   240mA(YS-130NO); 200mA(YS-130NC)   - 10~+55°C            - 150Lx39.5Wx33.5H(mm)   CE Sertifikat            - Fail Secure (YAS-130NO); Fail Safe (YAS-130NC)</p>	kom	25.00
	<p><b>YAB-500A(LED)</b></p> <p>Fail safe electric bolt is for fully frameless glass door - YB-500U(LED)</p>	kom	70.00
	<p><b>YAS-137-S</b></p> <p>ELEKTRO-PRIHVATNIK   European Standard Heavy Duty Electric Strike   1000kg            - 1000kg   12V/320mA; 24V/160mA   Lock Status Output NO/NC/COM   - 10~+55°C            - 174Lx44Wx27H(mm)   CE Sertifikat</p>	kom	55.00
	<p><b>ACM-Y280ZL</b></p> <p>NOSAČ MAGNETNE BRAVE   TIP Z   ZA SERIJU 280kg/600lbs            - ZL Bracket For 280kg mag lock</p>	kom	15.00
	<p><b>AYS-130NC</b></p> <p>ELEKTRO-PRIHVATNIK   short-type electric strike  IMP-Fail Secure (NC)            - 12VDC (opcija 24VDC)   Stainless Steel   150Lx39.5Wx28H(mm)   n/weight 0.3kg              - ELEKTRO-PRIHVATNK IMPULSNI   CE sertifikat</p>	kom	15.00
	<p><b>YSA-132NO-S</b></p> <p>ELEKTRO-PRIHVATNIK   Long-type electric strike  IMP-Fail Secure (NO)   Lock Status Output NO/NC/COM   12VDC (opcija 24VDC)   Stainless Steel   250Lx25Wx31H(mm)   n/weight 0.5kg              - ELEKTRO-PRIHVATNK IMPULSNI   CE sertifikat</p>	kom	30.00


**ELEKTRO - PRIHVATNICI, MAGNETNE BRAVE, "DROP BOLT" ELEKTRO BRAVE**  
- DODATNA OPREMA ZA VRATA  
- PROFESIONALNA OPREMA - CE, FCC i RoHS SERTIFIKATI

FOTO	OPIS PROIZVODA	JM	CENA - EUR
	YSA-132NC-S ELEKTRO-PRIHVATNIK   Long-type electric strike  PPS-Fail Safe (NC)   Lock Status Output NO/NC/COM   12VDC (opcija 24VDC)   Stainless Steel   250Lx25Wx31H(mm)   n/weight 0.5kg   - EKTRO-PRIHVATNK PPS   CE sertifikat	kom	30.00
	YSA-138LK-S ELEKTRO-PRIHVATNIK - PODESIV   HEAVY DUTY   Long-type electric strike   Eruopian type   podesiv: Fail Safe (PPS) ; IMP-File Secure NC/NO/COM   Lock Status Output NO/NC/COM   12VDC (opcija 24VDC)   Stainless Steel   250Lx32Wx33H(mm)   0.5kg   CE sertifikat	kom	50.00
	AYE-302A Electric Cabinet Lock   Size- 54.5Lx41Wx28H(mm); Pin length- 10Lx10Wx10H(mm) - Voltage- DC12V, Current- 0.65A ± 10%   Temperature -40°C~+50°C; Weight-0.18kg - Suitable for- File Cabinet , Display Cabinet	kom	15.00
	AYB-80 DROP BOLT   ECECTRIC MINI - Size: 70.3Lx59WX27.5H(mm); Voltage: DC12V, Current: 100mA   -40°C~+60°C - Safe feature NO or NC; Weight: 0.2kg	kom	30.00
	YAE-305 Electric Cabinet Lock - YAE-305 - Size 64.1Lx40Wx25H(mm) Holding force >150KG Voltage DC12V Current 100mA - Security Type Power off (NC) Weight 0.18kg	kom	30.00


**ELEKTRO - PRIHVATNICI, MAGNETNE BRAVE, "DROP BOLT" ELEKTRO BRAVE**  
- DODATNA OPREMA ZA VRATA  
- PROFESIONALNA OPREMA - CE, FCC i RoHS SERTIFIKATI

FOTO	OPIS PROIZVODA	JM	CENA - EUR
	YAE-301 Electric Cabinet Lock - YAE-301 - Size 55Lx55Wx25H(mm) Pin length 18mm Pin diameter 7mm Voltage 12VDC Current 320mA - Weight 0.12kg	kom	30.00
	YAE-304 Electric Cabinet Lock - YAE-304 - Size 50Lx30.2Wx26.8H(m), Holding force >15; Voltage DC1; Current 100mA - Feature Fail safe(NC)Fail secure(NO) Suitable for File Cabinet ,Disply Cabinet - Weight 0.18kg	kom	35.00
	GB-YBA-100S DROP BOLT   GB   Fail safe electric bolt   NO/NC/COM   12VDC   - Stainless Steel   800kg   n/weight 0.75kg   CE sertifikat   PPS	kom	25.00
	YBA-100 DROP BOLT   Fail safe electric bolt W/signal   Door status Output NC/COM   12VDC   - Stainless Steel   800kg   n/weight 0.75kg   CE sertifikat   PPS	kom	35.00
	YBA-100+ DROP BOLT   Fail safe electric bolt W/signal   Door status Output NC/COM   12VDC   - Stainless Steel   800kg   Autolock Time Delay: 0, 3, 6, 9sec   - One side is key, another side is knob   n/weight 0.75kg   CE sertifikat   PPS	kom	45.00
	YBA-500C(LED) DROP BOLT   Fail secure sturdiness electric bolt with cylinder   Door status Output NC/COM   12VDC (opcija 24VDC)   Stainless Steel   1000kg   Autolock Time Delay: 0, 3, 6, 9sec   One side is key, another side is knob   n/weight 1.0kg   CE sertifikat   IMPULSNI	kom	95.00



**ELEKTRO - PRIHVATNICI, MAGNETNE BRAVE, "DROP BOLT" ELEKTRO BRAVE**  
**- DODATNA OPREMA ZA VRATA**  
**- PROFESIONALNA OPREMA - CE, FCC i RoHS SERTIFIKATI**

FOTO	OPIS PROIZVODA	JM	CENA - EUR
	<p><b>AYB-500C(LED)</b></p> <p>Fail Secure Sturdiness ELECTRIC BOLT W/narrow panel, LED and signal; cylinder</p> <ul style="list-style-type: none"> <li>- Face Plate 210Lx25WX42H(m); Strike 90Lx25Wx3H(m); Bolt 16(lengthmm)</li> <li>- Voltage 12VDC (option)   Start Current 960m  Standby Current 180mA</li> <li>- Autolock Time Delay 0,3,6,9s   Door statue signal output contact NO、 C</li> <li>- Cylinder One side is key, another side is knobSolid Bolt Holding Force 1000Kg</li> <li>- Suitable For wooden door,metal door, PVC door</li> <li>- Surface Temp Low TemperatureInduction Distance 8mm</li> <li>- LED Light on indicates locked, light off indicates unlocked</li> <li>- Face place material 304 stainless steel, wire draw finishing</li> <li>- Weight 1kg  Patent No. 201420532821.5</li> </ul>	kom	75.00
	<p><b>YAM-40</b></p> <p>Single Door Magnetic Mini Lock YM-40</p> <p>Size 70Lx36.5Wx24H(mm)Armature Plate Dimension 60Lx32Wx10H(mm)</p> <p>Holding Force 40kg(88lbs)Input Voltage DC12V (Adjustable DC24V)</p> <p>Current 12V/160mA(±10%);24V/80mA(±10%)Suitable File Cabinet ,Display Cabinet</p> <p>Surface Temp ≤+20°COperating Temp -20°C~+55°C(-4—131°F)</p> <p>Humidity 0~90%(non-condensing)Cover Finish Anodized aluminumLock Finish Zinc</p> <p>Armature Plate Finish ZincWeight 0.35KGCertificate CE-EMC CE-LVD FCC REACH WEEE</p>	kom	20.00
	<p><b>YMA-70-S</b></p> <p>Single door magnetic lock W/signal output 70kg (140lbs)   12VDC; 130mA   0.7kg</p> <p>- Option: 24VDC; 150mA   CE Sertifikat</p>	kom	30.00
	<p><b>YMA-180M-S</b></p> <p>Single door magnetic lock W/signal output 180kg (350lbs) 12VDC; 300mA   1.2kg</p> <p>- Option: 24VDC; 150mA   CE Sertifikat</p>	kom	45.00
	<p><b>YMA-60</b></p> <p>Single door magnetic lock 60kg (120lbs)   12VDC; 120mA   0.6kg   MINI</p> <p>- Option: 24VDC; 150mA   CE Sertifikat</p>	kom	24.00

**ELEKTRO - PRIHVATNICI, MAGNETNE BRAVE, "DROP BOLT" ELEKTRO BRAVE**  
**- DODATNA OPREMA ZA VRATA**  
**- PROFESIONALNA OPREMA - CE, FCC i RoHS SERTIFIKATI**

FOTO	OPIS PROIZVODA	JM	CENA - EUR
	YMA-280(LED)-DS Single door magnetic lock W/LED & door sensor 280kg (600lbs)   12VDC; 350mA   2.1kg - Option: 24VDC; 250mA   CE Sertifikat	kom	50.00
	YMA-280FW Single door magnetic lock W/waterproof 280kg (600lbs)   12VDC; 350mA   2.1kg - Option: 24VDC; 250mA   CE Sertifikat	kom	85.00
	YAM-180N Single Door Magnetic Lock - YM-180N - Size 185Lx42.8Wx22.4H(mm)Armature Plate Dimension 130Lx32x10H(mm) - Holding Force 180kg(350Lbs)Input Voltage DC12V (Adjustable DC24V) - Current 12V/400mA(±10%) ; 24V/200mA(±10%) - Suitable Wooden door , Glass door ,Metal door , Fireproof doorSurface Temp ≤+20°C - Operating Temp -20°C~+55°C(-4—131°F)Humidity 0~90%(non-condensing)Weight 1.2KG	kom	45.00
	YMA-350(LED)-DS Single door magnetic lock W/LED & door sensor 350kg (800lbs)   12VDC; 340mA   2.7kg - Option: 24VDC; 240mA   CE Sertifikat	kom	80.00
	YMA-500T(LED) Single door magnetic lock W/LED & Signal & time 500kg (1200lbs)   24VDC; 210mA   4.7kg	kom	90.00
	YMA-500W-S Single door magnetic lock W/waterproof & signal output 500kg (1200lbs)   24VDC; 220mA   4.5kg	kom	110.00

**ELEKTRO - PRIHVATNICI, MAGNETNE BRAVE, "DROP BOLT" ELEKTRO BRAVE**  
**- DODATNA OPREMA ZA VRATA**  
**- PROFESIONALNA OPREMA - CE, FCC i RoHS SERTIFIKATI**







FOTO	OPIS PROIZVODA	JM	CENA - EUR
	YMA-500TD(LED) Single door magnetic lock W/LED & Signal & time 1000kg (2400lbs)   24VDC; 420mA   9kg	kom	195.00
	YMA-750T(LED) Single door magnetic lock W/LED & Signal & time 750kg (1500lbs)   24VDC; 210mA   5.9kg	kom	145.00
	YMA-750DT(LED) Single door magnetic lock W/LED & Signal & time 1500kg (3000lbs)   24VDC; 420mA   11.8kg	kom	290.00
	MBKA-70UL The U bracket is for frameless glass door (Suitable for YMAA-60/YMA-70-S)	kom	0.00
	MBKA-180UL The U bracket is for frameless glass door (350lbs)	kom	10.00
	MBKA-280UL The U bracket is for frameless glass door (600lbs)	kom	9.00
	MBKA-350UL The U bracket is for frameless glass door (800lbs)	kom	10.00

**ELEKTRO - PRIHVATNICI, MAGNETNE BRAVE, "DROP BOLT" ELEKTRO BRAVE**  
**- DODATNA OPREMA ZA VRATA**  
**- PROFESIONALNA OPREMA - CE, FCC i RoHS SERTIFIKATI**

FOTO	OPIS PROIZVODA	JM	CENA - EUR
	<b>MBKA-500UL</b> The U bracket is for frameless glass door (1200lbs)	kom	45.00
	<b>MBKA-180L</b> The L bracket is for narrow door (350lbs)	kom	9.00
	<b>YCA81-2</b> HIDRAULICNI ZATVARAC VRATA   Door closer (40-60kgs)   Krilo 950mm   -20°C ~ 45°C   MFCB 1,000,000   CE Sertifikat	kom	35.00
	<b>YCA82-2</b> HIDRAULICNI ZATVARAC VRATA   Door closer (60-80kgs)   Krilo 1050mm   -20°C ~ 45°C   MFCB 1,000,000   CE Sertifikat	kom	45.00
	<b>YCa83-2</b> HIDRAULICNI ZATVARAC VRATA   Door closer (100-120kgs)   Krilo 1,200mm   -20°C ~ 45°C   MFCB 1,000,000   CE Sertifikat	kom	55.00
	<b>PBKA-815</b> EXIT TASTER - NAZIDNI   Push button with back box (aluminium) 32mm×83mm	kom	12.00
	<b>PBKA-815(LED)</b> EXIT TASTER - NAZIDNI LED   Push button with back box & LED (aluminium) 32mm×83mm	kom	15.00








**ELEKTRO - PRIHVATNICI, MAGNETNE BRAVE, "DROP BOLT" ELEKTRO BRAVE**  
**- DODATNA OPREMA ZA VRATA**  
**- PROFESIONALNA OPREMA - CE, FCC i RoHS SERTIFIKATI**

FOTO	OPIS PROIZVODA	JM	CENA - EUR
	<b>PBKA-814A</b> EXIT TASTER - UZIDNI   Push button (stainless steel) 35mm×90mm	kom	9.00
	<b>PBKA-814A(LED)</b> EXIT TASTER - UZIDNI LED   Push button (stainless steel) 35mm×90mm	kom	17.00
	<b>YKSA-851EN</b> EXIT (EMERGENCY) KLJUC - PREKIDAC   DVOPOLNI - European type emergency key switch (zinc alloy) 86mm×86mm, 5 kljuceva	kom	45.00
	<b>AYAT-131BT</b> BEŽIČNI (EXIT) TASTER - Approval CE & ISO9001   Power input AC/DC 12-36V   Frequency 433MHZ - Static current15mA   Action current 80mA (DC12V Power)	kom	65.00
	<b>DLKA-401</b> MEHANIZAM   za uvodjenje kabla u plot vrata - tip 0   Door loop for exposed mounting	kom	15.00
	<b>DLKA-403A</b> MEHANIZAM   za uvodjenje kabla u plot vrata - tip A   Door loop (zinc alloy)	kom	9.00
	<b>DLKA-403B</b> MEHANIZAM   za uvodjenje kabla u plot vrata - tip B   Door loop (zinc alloy)	kom	15.00



**ELEKTRO - PRIHVATNICI, MAGNETNE BRAVE, "DROP BOLT" ELEKTRO BRAVE**  
**- DODATNA OPREMA ZA VRATA**  
**- PROFESIONALNA OPREMA - CE, FCC i RoHS SERTIFIKATI**

FOTO	OPIS PROIZVODA	JM	CENA - EUR
	DLKASS-402 MEHANIZAM   za uvodjenje kabla u plot vrata - tip M   Door loop for mortise mounting, stainless steel   za uvodjenje kabla u plot vrata	kom	19.00
	APCB-504 KONVERTER NAPONA   12 ~ 28VDC na 12VDC (stabilisan)	kom	5.00
	APCB-501 INTERLLCKING MODUL   za dvoja sugnosna vrata   Size: 69Lx60Wx15H (mm)   5A/24V   - Suitable for door Fail - safe ectriclocks with signal output   - 20~+70°C   0.07kg	kom	15.00
	CPKA-860C PP-TASTER   Emergency call point (single pole) (red) 86mm×86mm	kom	9.00
	YAEH-210 Sliding Rail Door and Window Dedicated Electric Hook Lock - YAEH-210 Dimension 79Lx45.5Wx34.3H(mm)Door catch 91Lx30Wx25.85H(mm) Voltage 12VDCCurrent 100mAHolding Force 300kg Operating Temp -40°C~+50°C Operating Humidity >95%Weight 0.35Kg	kom	25.00